



**FIBREGLASS (FRP)
DOORS**



ABOUT

Fiber Reinforced Plastic (FRP) doors are durable, lightweight, and waterproof. Doors are made from fiberglass and resin, designed as a modern alternative to wood and metal. They are highly resistant to moisture, corrosion, termites, and impacts. Common uses include bathrooms, toilets, balconies, and high-moisture industrial settings.


Key Features & Usage Examples:

- **Residential Use:** Ideal for bathrooms, kitchens, toilets, and balcony doors due to being water and termite proof.
- **Commercial / Industrial Use:** Used in schools, hospitals (X-ray departments), factories, and public restrooms due to high durability and hygiene.
- **Low Maintenance:** They are corrosion-resistant, do not rust, and are resistant to stains and fading.
- **Customization:** Available in various colors, wood finishes, and styles/patterns to match aesthetic needs.


SINGLE PANEL DOORS



SINGLE PANEL SQUARE
Woodgrain Finish




SINGLE PANEL ARCH
Woodgrain Finish





2 - PANEL DOORS




2 PANEL
Woodgrain Finish




2 PANEL FLUTED
Woodgrain Finish





2 PANEL ARCH
Woodgrain Finish





2 PANEL SQUARE
Woodgrain Finish




3-PANEL DOORS



4 - PANEL DOORS



5 - PANEL DOOR



6 - PANEL DOOR



MULTI-PANEL DOOR



PLAIN DOOR




DOORS WITH GLASS / LOUVER CUT-OUT




TECHNICAL DETAILS

FRP Door Frame



Cross Section View



SPECIFICATIONS FOR FRP DOORS

- 1.5mm thick FRP Skin is moulded with the Core Material forming a Sandwich Panel. Necessary wooden support is provided for fixing handles/ Locks/ Stoppers and other accessories
- The door is self pigmented and available in the color of your choice
- Doors are available in Woodgrain & Veneer Finish
- The standard door thickness is 30-35 mm
- Doors are available with fire retardant properties

Advantages:

- **Fixing:** The fixing is simple as conventional Wooden Doors and can be fixed on any door frame
- **Impact Resistance:** The doors are free from swelling, wrapping or splitting & have good impact resistance
- **Weather Resistant:** The doors have no effect of water, insects or termite and have excellent weathering properties
- **Thermal Expansion:** FRP Doors have a significantly lower coefficient of thermal expansion compared to wooden doors allowing door frames to be manufactured to a tight tolerance

AVAILABLE COLOURS

Solid Colours



White-01



Off White-01



Grey-01



Grey-02



Ivory-01



Beige-01



Brown-01



Brown-02




Brown-03

Veneer Colours



Veneer-01



Veneer-02



Veneer-03



Veneer-04



Veneer-05



Veneer-06



Veneer-07





Veneer-08




Veneer-09


FRP MANHOLE COVERS




FRP GRATINGS



Pultruded Gratings



Moulded Square Gratings



Moulded Gratings

PORTA CABINS



Metal Porta Cabins



FRP Security Cabin



Metal Porta Toilets



FRP Security Cabin

RAWJI INDUSTRIES LLP

Survey No. 139, Paiki, Opp. Holy Mary High School,
Rahnal Village, Bhiwandi - 421302. Dist. Thane. Maharashtra. INDIA

Tel.: +91 9920228162 / 8657114559

8669997712 / 8669997713

Website: www.rawji.com | Email: salesfg@rawji.com / info@rawji.com

Scan to download
E-brochure



Scan for Website

